


ORFS MALE

MASCHIO ORFS




AGO

part nr. codice	hose ID		size	thread	d		E		cut-off C	
	[in]	[mm]		T	[in]	[mm]	[in]	[mm]	[in]	[mm]
0487250414	1/4"	6,4	04	9/16-18	0,16	4,0	0,59	15	0,91	23,0
0487250517	5/16"	8,0	05	11/16-16	0,22	5,5	0,75	19	1,03	26,0
0487250617	3/8"	9,5	06	11/16-16	0,28	7,0	0,75	19	1,03	26,0
0487250621	3/8"	9,5	06	13/16-16	0,28	7,0	0,87	22	1,15	29,0
0487250821	1/2"	12,7	08	13/16-16	0,37	9,5	0,87	22	1,15	29,0
0487251025	5/8"	16,0	10	1-14	0,47	12,0	1,06	27	1,32	33,0
0487251230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,26	32	1,41	36,0
0487251634	1"	25,4	16	1.7/16-12	0,79	20,0	1,50	38	1,47	37,0
0487252042	1.1/4"	31,8	20	1.11/16-12	1,02	26,0	1,81	46	1,73	44,0

O-ring for male must be ordered separately
L'O-ring per il maschio deve essere ordinato separatamente.

ORFS FEMALE WITH HEXAGON

FEMMINA ORFS CON ESAGONO




ORFS

part nr. codice	hose ID		size	thread	d		E		E1		cut-off C	
	[in]	[mm]		T	[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0485000414	1/4"	6,4	04	9/16-18	0,16	4,0	0,67	17	0,55	14	1,14	29,0
0485000617	3/8"	9,5	06	11/16-16	0,28	7,0	0,87	22	0,75	19	1,52	38,5
0485000821	1/2"	12,7	08	13/16-16	0,37	9,5	0,95	24	0,87	22	1,54	39,0
0485001025	5/8"	16,0	10	1-14	0,47	12,0	1,18	30	0,95	24	1,65	42,0
0485001230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	1,18	30	1,73	44,0
0485001634	1"	25,4	16	1.7/16-12	0,79	20,0	1,62	41	1,42	36	1,85	47,0

ORFS FEMALE

FEMMINA ORFS




ORFS

part nr. codice	hose ID			thread T	d		E		cut-off C	
	[in]	[mm]	size		[in]	[mm]	[in]	[mm]	[in]	[mm]
0486000414	1/4"	6,4	04	9/16-18	0,16	4,0	0,67	17	0,95	24,0
0486000417	1/4"	6,4	04	11/16-16	0,16	4,0	0,87	22	0,95	24,0
0486000517	5/16"	8,0	05	11/16-16	0,22	5,5	0,87	22	0,95	24,0
0486000617	3/8"	9,5	06	11/16-16	0,28	7,0	0,87	22	0,95	24,0
0486000621	3/8"	9,5	06	13/16-16	0,28	7,0	0,95	24	1,18	30,0
0486000821	1/2"	12,7	08	13/16-16	0,37	9,5	0,95	24	1,18	30,0
0486000825	1/2"	12,7	08	1-14	0,37	9,5	1,18	30	1,30	33,0
0486000830	1/2"	12,7	08	1.3/16-12	0,37	9,5	1,42	36	1,30	33,0
0486001025	5/8"	16,0	10	1-14	0,47	12,0	1,18	30	1,30	33,0
0486001225	3/4"	19,0	12	1-14	0,59	15,0	1,18	30	1,30	33,0
0486001230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	1,34	34,0
0486001234	3/4"	19,0	12	1.7/16-12	0,59	15,0	1,62	41	1,42	36,0
0486001634	1"	25,4	16	1.7/16-12	0,79	20,0	1,62	41	1,46	37,0
0486002042	1.1/4"	31,8	20	1.11/16-12	1,02	26,0	1,97	50	1,58	40,0
0486002452	1.1/2"	38,1	24	2-12	1,26	32,0	2,36	60	1,62	41,0

ORFS FEMALE 90° ELBOW

FEMMINA 90° ORFS




ORFS 90

part nr. codice	hose ID			thread T	d		E		cut-off C		drop H	
	[in]	[mm]	size		[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0485030414	1/4"	6,4	04	9/16-18	0,16	4,0	0,67	17	1,02	26,0	0,95	24,0
0485030417	1/4"	6,4	04	11/16-16	0,16	4,0	0,87	22	1,02	26,0	1,02	26,0
0485030617	3/8"	9,5	06	11/16-16	0,28	7,0	0,87	22	1,38	35,0	1,10	28,0
0485030621	3/8"	9,5	06	13/16-16	0,28	7,0	0,95	24	1,34	34,0	1,22	31,0
0485030821	1/2"	12,7	08	13/16-16	0,37	9,5	0,95	24	1,58	40,0	1,46	37,0
0485030830	1/2"	12,7	08	1.3/16-12	0,37	9,5	1,42	36	1,65	42,0	1,46	37,0
0485031025	5/8"	16,0	10	1-14	0,47	12,0	1,18	30	1,77	45,0	1,65	42,0
0485031230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	2,05	52,0	1,89	48,0
0485031634	1"	25,4	16	1.7/16-12	0,79	20,0	1,62	41	2,84	72,0	2,29	58,0
0485032042	1.1/4"	31,8	20	1.11/16-12	1,02	26,0	1,97	50	3,27	83,0	2,92	74,0
0485032452	1.1/2"	38,1	24	2-12	1,26	32,0	2,36	60	3,94	100,0	3,35	85,0

ORFS FEMALE 45° ELBOW

FEMMINA 45° ORFS



ORFS -45

part nr. codice	hose ID		size	thread	d		E		cut-off C		drop H	
	[in]	[mm]		T	[in]	[mm]	[in]	[mm]	[in]	[mm]	[in]	[mm]
0485060414	1/4"	6,4	04	9/16-18	0,16	4,0	0,67	17	1,49	38,0	0,47	12,0
0485060417	1/4"	6,4	04	11/16-16	0,16	4,0	0,87	22	1,57	40,0	0,55	14,0
0485060617	3/8"	9,5	06	11/16-16	0,28	7,0	0,87	22	1,85	47,0	0,55	14,0
0485060621	3/8"	9,5	06	13/16-16	0,28	7,0	0,95	24	1,85	47,0	0,63	16,0
0485060821	1/2"	12,7	08	13/16-16	0,37	9,5	0,95	24	2,28	58,0	0,67	17,0
0485060825	1/2"	12,7	08	1-14	0,37	9,5	1,18	30	2,36	60,0	0,67	17,0
0485060830	1/2"	12,7	08	1.3/16-12	0,37	9,5	1,42	36	1,97	50,0	0,70	18,0
0485061025	5/8"	16,0	10	1-14	0,47	12,0	1,18	30	2,52	64,0	0,78	20,0
0485061230	3/4"	19,0	12	1.3/16-12	0,59	15,0	1,42	36	3,11	79,0	0,86	22,0
0485061634	1"	25,4	16	1.7/16-12	0,79	20,0	1,62	41	4,05	103,0	0,98	25,0
0485062042	1.1/4"	31,8	20	1.11/16-12	1,02	26,0	1,97	50	4,68	119,0	1,26	32,0
0485062452	1.1/2"	38,1	24	2-12	1,26	32,0	2,76	70	5,59	142,0	1,53	39,0